

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO	. FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/760,965	01/20/2004	Steven W. Ek	STD 00.01 CIP2 CON	1498
32047	7590 07/25/2006		EXAMINER	
	AN, TUCKER, PERRI	PHILOGEN	E, PEDRO	
55 SOUTH COMMERICAL STREET MANCHESTER, NH 03101			ART UNIT	PAPER NUMBER
			3733	
		DATE MAIL ED: 07/25/200	4	

Please find below and/or attached an Office communication concerning this application or proceeding.

			<i>\\</i> /			
		Application No.	Applicant(s)			
Office Action Commence		10/760,965	EK, STEVEN W.			
	Office Action Summary	Examiner	Art Unit			
The MANUEL CASE And		Pedro Philogene	3733			
- Period fo	- The MAILING DATE of this communication or Reply	appears on the cover sheet w	ith the correspondence address			
WHIC - Extensions after S - If NO - Failure Any re	DRTENED STATUTORY PERIOD FOR RE HEVER IS LONGER, FROM THE MAILING sions of time may be available under the provisions of 37 CFF SIX (6) MONTHS from the mailing date of this communication. period for reply is specified above, the maximum statutory per e to reply within the set or extended period for reply will, by state of the provision of the p	A DATE OF THIS COMMUNI R 1.136(a). In no event, however, may a find will apply and will expire SIX (6) MOI atute, cause the application to become A	CATION. reply be timely filed NTHS from the mailing date of this communication. BANDONED (35 U.S.C. § 133).			
Status						
1)⊠	Responsive to communication(s) filed on 20	October 2004.				
2a)□	This action is FINAL . 2b) This action is non-final.					
	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Dispositio	on of Claims					
4)🖂	Claim(s) <u>1-54</u> is/are pending in the applicati	ion.				
4	4a) Of the above claim(s) is/are withdrawn from consideration.					
	Claim(s) is/are allowed.					
	Claim(s) <u>1-54</u> is/are rejected.					
	Claim(s) is/are objected to. Claim(s) are subject to restriction and	d/or alastian requirement				
0)	oralin(s) are subject to restriction are	a/or election requirement.				
Application	on Papers					
· ·	The specification is objected to by the Exam					
	The drawing(s) filed on is/are: a)☐ a					
	Applicant may not request that any objection to t					
	Replacement drawing sheet(s) including the con	•				
	The oath or declaration is objected to by the	Examiner. Note the attache	d Office Action of form P10-152.			
Priority u	nder 35 U.S.C. § 119					
	Acknowledgment is made of a claim for fore	ign priority under 35 U.S.C.	§ 119(a)-(d) or (f).			
	All b) Some * c) None of:					
	1. Certified copies of the priority docume					
	2. Certified copies of the priority docume3. Copies of the certified copies of the p					
,	 Copies of the certified copies of the p application from the International Bur 	•	received in this National Stage			
* S	ee the attached detailed Office action for a	, , , , , , , , , , , , , , , , , , , ,	received.			
Attachment		_				
	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948)		Summary (PTO-413) (s)/Mail Date			
3) N Inform	nation Disclosure Statement(s) (PTO-1449 or PTO/SB/ No(s)/Mail Date <u>11/05/04;05/02/05</u> . 3/2/ 03, 7/2	(08) 5) Notice of	Informal Patent Application (PTO-152)			

Art Unit: 3733

Double Patenting

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., *In re Berg*, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent either is shown to be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Claims 1-54 are rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1-66 of U.S. Patent No. 6,679,917.

Although the conflicting claims are not identical, they are not patentably distinct from each other because it is clear that all the elements of claims 1-54 are to be found in claims 1-66. The difference between claims 1-54 of the application and claims 1-66 of the patent lies in the fact that the patent claims include many more elements and are thus much more specific. Thus the invention of claims 1-66 of the patent is in effect a "species" of the "generic" invention of claims 1-54. It has been held that the generic invention is "anticipated" by the "species". See in re Goodman, 29 USPQ2d 2010 (Fed.

Art Unit: 3733

Cir. 1993). Since claims 1-54 are anticipated by claims 1-66 of the patent, they are not patentably distinct.

Claims 1-54 are rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1-13 of U.S. Patent No. 6,520,964.

Although the conflicting claims are not identical, they are not patentably distinct from each other because it is clear that all the elements of claims 1-54 are to be found in claims 1-13. The difference between claims 1-54 of the application and claims 1-13 of the patent lies in the fact that the patent claims include many more elements and are thus much more specific. Thus the invention of claims 1-13 of the patent is in effect a "species" of the "generic" invention of claims 1-54. It has been held that the generic invention is "anticipated" by the "species". See in re Goodman, 29 USPQ2d 2010 (Fed. Cir. 1993). Since claims 1-54 are anticipated by claims 1-13 of the patent, they are not patentably distinct.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claims 1-54 are rejected under 35 U.S.C. 102(e) as being anticipated by Schwartz et al. (6,2512,143).

Application/Control Number: 10/760,965

Art Unit: 3733

Page 4

With respect to claims 1, 12, 18, 46, 51, Schwartz et al disclose an implant (10) comprising a bone-facing distal surface, a proximal surface and a protrusion formed by an extension of the bone-facing distal surface and the proximal surface; as best seen in FIGS.7, 8, 10-25. and a cavity configured to allow an un-excised portion of the articular surface proximate to the implant to remodel over a perimeter edge of the proximal surface; as set forth in column 3, lines 49-59; and as best seen in FIGS.8,10, a proximal surface having a contour based on an original surface contour of the excised portion of the articular surface, and at least two side surfaces each having a concentric arcuate shape with a common center, wherein the implant has an elongate arcuate geometric shape; as best seen in FIGS. 2, 13B, 25, 45, at least one arcuate side surface configured to abut an edge of the excised portion of the articular surface, the arcuate shaped side surface having a radial extension configured to cover an un-excised portion of the articular surface proximate to the implant; as best seen in FIGS. 7,8.

With respect to claims 1-11, 13-17,19-26,47-49,52-54, Schwartz et al disclose all the limitations; as set forth in 4, lines 32-67, column 5, lines 35-47,, column 7, lines 49-59, column 6, lines 9,10, lines 15-25, column 9, lines 15-24, column 10, line 41, column 11, lines 42-67, column 12, lines 1-67,, column 15, lines 45-60, column 21, lines 5-37; and as best seen in FIGS.1-45.

With respect to claims 27-45,50, the method steps, as set forth, would have been inherently carried out in the operation of the device, as set forth above.

Conclusion

Application/Control Number: 10/760,965

Page 5

Art Unit: 3733

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

5,624,463	04-1997	Stone et al.
5,580,353	12-1996	Mendes et al.
5,632,745	05-1997	Schwartz
6,540,786	04-2003	Chibrac et al.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Pedro Philogene whose telephone number is (571) 272-4716. The examiner can normally be reached on Monday to Friday 6:30 AM to 4:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eduardo Robert can be reached on (571) 272 - 4719. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/760,965

Art Unit: 3733

Page 6

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Pedro Philogene July 20, 2006

PEDRO PHILOGENE PRIMARY EXAMINER